ELSEVIER

Physica C 231 (1994) 417–420

PHYSICA C

Author index to volume 231

Adachi, S., see A. Fukuoka **231**, 372
Alario-Franco, M.A., P. Bordet, J.-J. Capponi, C. Chaillout, J. Chenavas, T. Fournier, M. Marezio, B. Souletie, A. Sulpice, J.-L. Tholence, C. Colliex, R. Argoud, J.L. Baldonedo, M.F. Gorius and M. Perroux, The superconducting "copper/carbonate cuprates". An electron microscopy study **231**, 103
Ammor, L., see J.C. Soret **231**, 157
Amrein, T., see B. Kabius **231**, 123
Aoki, S., see M. Fukutomi **231**, 113
Argoud, R., see M.A. Alario-Franco **231**, 103
Asano, H., see T. Ishigaki **231**, 357
Askew, T.R., see R.B. Flippen **231**, 352
Ausloos, M., see R. Cloots **231**, 259

Badaye, M., Y. Kanke, K. Fukushima and T. Morishita, In situ preparation of $Y_1Ba_2Cu_4O_8$ thin films by the laser ablation technique **231**, 335
Bae, M.-K., M.S. Choi, S. Lee, S.-I. Lee and W.C. Lee, Superconducting fluctuation effects in grain-aligned $HgBa_2Ca_2Cu_3O_{8+\delta}$ **231**, 249
Baldonedo, J.L., see M.A. Alario-Franco **231**, 103
Bhalla, G.L., see S. Rekhi **231**, 277
Bingert, J.F., see M.G. Smith **231**, 409
Bondarenko, A.V., see V.A. Gasparov **231**, 197
Bordet, P., see M.A. Alario-Franco **231**, 103
Bougrine, H., see R. Cloots **231**, 259
Butler, D.P., see J.-L. Wang **231**, 271

Cai, Z.-X. and D.O. Welch, A model of the consecutive structural phase transitions in $La_{2-x}Ba_xCuO_4$ **231**, 383
Campbell, A.M., see D. Kumar **231**, 182
Cao, L.Z., see H. Jin **231**, 167
Cao, Y., see Q. Xiong **231**, 233
Capponi, J.-J., see M.A. Alario-Franco **231**, 103
Celik-Butler, Z., see J.-L. Wang **231**, 271
Chaillout, C., see M.A. Alario-Franco **231**, 103
Chakoumakos, B.C., see T.B. Lindemer **231**, 80
Chatterjee, R., see M. Fukutomi **231**, 113
Che, G.C., see Y. Rui **231**, 243
Chen, F., see Q. Xiong **231**, 233
Chen, J.L. and T.J. Yang, Surface superconductivity of short coherence length superconductors **231**, 91
Chen, J.-P., see Y.-Y. Xie **231**, 300
Chen, Y.J., see T.B. Lindemer **231**, 80
Chen, Z.J., see H. Jin **231**, 167
Chenavas, J., see M.A. Alario-Franco **231**, 103
Cheng, B.-J., see Y.-Y. Xie **231**, 300
Choi, M.S., see M.-K. Bae **231**, 249
Chong, Y., see H. Jin **231**, 167
Chu, C.W., see J.G. Lin **231**, 177
Chu, C.W., see Q. Xiong **231**, 233
Cloots, R., H. Bougrine, M. Houssa, S. Stassen, L. D'Urzo, A. Rulmont and M. Ausloos, Bi-based 2223 superconducting polycrystalline materials prepared by either a solid state route or a glassy 'matrix' precursor method: Chemical analysis as well as electrical and thermal transport properties **231**, 259
Colliex, C., see M.A. Alario-Franco **231**, 103
Coudrier, L., see J.C. Soret **231**, 157
Coulter, J.Y., see M.G. Smith **231**, 409
Cui, B.-X., see Y.-Y. Xie **231**, 300

Dähne, U., see B. Kabius **231**, 123
Deng, M., see H. Jin **231**, 167
Dorris, S.E., see J.A. Parrell **231**, 137
Doyle, R., see D. Kumar **231**, 182
D'Urzo, L., see R. Cloots **231**, 259

Fan, J.D., see Y.M. Malozovsky **231**, 63
Flament, S., see J.C. Soret **231**, 157
Flippen, R.B., T.R. Askew and R.-X. Liang, Anisotropy and flux pinning in $YBa_2Cu_3O_{7-x}$ crystals with varying twinning plane densities **231**, 352
Fournier, T., see M.A. Alario-Franco **231**, 103
Fueki, K., see Y. Idemoto **231**, 37
Fukuoka, A., S. Adachi, T. Sugano, X.-J. Wu and H. Yamauchi, Synthesis of a new layered cuprate, $Gd_2CaBa_2Ti_2Cu_2O_{12}$ **231**, 372
Fukushima, K., see M. Badaye **231**, 335
Fukutomi, M., S. Aoki, K. Komori, R. Chatterjee, K. Togano and H. Maeda, Deposition of in-plane aligned $YBa_2Cu_3O_y$/Y_2O_3 stabilized ZrO_2 thin films on both sides of metallic tape substrates **231**, 113

Gasparov, V.A., M.R. Mkrtchyan, M.A. Obolensky and A.V. Bondarenko, Anomalous temperature dependence of the electromagnetic penetration depth of $Y_1Ba_2Cu_3O_{7-\delta}$ crystals **231**, 197
Gasser, Ch., see J.C. Soret **231**, 157

Gilchrist, J. and C.J. van der Beek, Nonlinear diffusion in hard and soft superconductors **231**, 147
Golovashkin, A.I., A.V. Gudenko, A.M. Tskhovrebov, L.N. Zherikhina and M.L. Norton, Explanation of the temperature dependence of resistivity in high-T_c superconducting $Ba_{0.6}K_{0.4}BiO_3$ by electron–phonon scattering **231**, 319
Gorius, M.F., see M.A. Alario-Franco **231**, 103
Greaves, C., see P.R. Slater **231**, 109
Greaves, C., see I. Zelenay **231**, 207
Grigoryan, L., see J.G. Lin **231**, 177
Gudenko, A.V., see A.I. Golovashkin **231**, 319
Guo, Z., see Y. Yamada **231**, 131
Gupta, A., Growth and properties of thin films of the doped infinite-layer compounds $Ca_{1-x}Ln_xCuO_2$ (Ln=Sm, Nd, Y) **231**, 389

Hasegawa, M., Y. Matsushita, Y. Iye and H. Takei, Growth and anisotropic superconducting properties of $Tl_2Ba_2CuO_6$ and $Tl_2Ba_2CaCu_2O_8$ single crystals **231**, 161
Hervieu, M., see M. Huvé **231**, 15
Hirabayashi, I., see Y. Yamada **231**, 131
Horii, S., see Y. Yamada **231**, 131
Houssa, M., see R. Cloots **231**, 259
Huang, C.Y., see J.G. Lin **231**, 177
Hults, W.L., see M.G. Smith **231**, 409
Hur, N.H., N.H. Kim, K.W. Lee, Y.K. Park and J.C. Park, Synthesis and characterization of a new mercury-based superconductor, $Hg_{0.5}Tl_{0.5}Ba_2Ca_{1-x}Sr_xCu_2O_{6+\delta}$ **231**, 4
Hur, N.H., see K.-H. Yoo **231**, 21
Hur, N.H., N.H. Kim, S.H. Kim, Y.K. Park and J.C. Park, Synthesis of a Sr-doped $HgBa_2Ca_{0.86}Sr_{0.14}Cu_2O_{6+\delta}$ superconductor using ternary oxide precursors **231**, 227
Huvé, M., G. Van Tendeloo, M. Hervieu, A. Maignan and B. Raveau, Structural and physical properties of the new superconductor $Hg_{0.5}Pb_{0.5}Sr_{4-x}Ba_xCu_2(CO_3)O_{7-\delta}$ **231**, 15

Idemoto, Y., H. Tokunaga and K. Fueki, Effect of La substitution on T_c and electronic structure of Bi 2201 phase **231**, 37
Imaeda, K., see I.I. Khairullin **231**, 26
Inokuchi, H., see I.I. Khairullin **231**, 26
Ishigaki, T., A. Tokiwa-Yamamoto, F. Izumi, T. Kamiyama, H. Asano and Y. Syono, Structural changes of $PbBaSr(Y_{0.8}Ca_{0.2})Cu_3O_{7+z}$ on oxygen introduction into block layers **231**, 357
Ito, T. and K. Oka, New technique for the crystal growth of $La_{2-x}Ba_xCuO_4$ ($x \leq 0.15$) **231**, 305
Iye, Y., see M. Hasegawa **231**, 161
Izumi, F., see T. Ishigaki **231**, 357

Jacobson, A.J., see Q. Xiong **231**, 233
Ji, H.L., see Y. Rui **231**, 243
Ji, H.L., see Z.X. Shi **231**, 284
Jin, H., N.L. Wang, Y. Chong, M. Deng, K.Q. Ruan, L.Z. Cao and Z.J. Chen, Superconductivity in Cd-doped Pb-based layered copper oxides, $(Pb_{1-x}Cd_x)Sr_2(Y_{0.5}Ca_{0.5})Cu_2O_y$ **231**, 167
Jin, J.R., see Z.X. Shi **231**, 284
Jin, X., see Y. Rui **231**, 243
Jin, X., see Z.X. Shi **231**, 284
Jordan, F. and O. Peña, Superconductivity in the cerium-substituted 2212 bismuth cuprate: $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+\delta}$ **231**, 311

Kabius, B., J.W. Seo, T. Amrein, U. Dähne, A. Scholen, M. Siegel, K. Urban and L. Schultz, Grain-boundary structure of thin films of $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ on bicrystalline substrates **231**, 123
Kamiyama, T., see T. Ishigaki **231**, 357
Kanke, Y., see M. Badaye **231**, 335
Kawamoto, K., see Y. Yamada **231**, 131
Keller, J., S. Kind and K.F. Renk, Energy absorption by Josephson barriers in superconducting films **231**, 172
Khairullin, I.I., K. Imaeda, K. Yakushi and H. Inokuchi, Superconducting properties of Na-doped C_{60} prepared from sodium azide **231**, 26
Kim, N.H., see N.H. Hur **231**, 4, 227
Kim, S.H., see N.H. Hur **231**, 227
Kind, S., see J. Keller **231**, 172
Kirtikar, V., see K.K. Singh **231**, 9
Ko, D.-G. and H. Oesterreicher, Unusual redox response of M=Ni in $YBa_2(Cu_{1-x}M_x)_3O_y$ **231**, 252
Kodama, Y., see Y. Yamada **231**, 131
Komori, K., see M. Fukutomi **231**, 113
Koshizuka, N., see H. Yakabe **231**, 330
Kugel, K.I., T. Matsushita, E.Z. Meilikhov and A.L. Rakhmanov, Critical current anisotropy of high-T_c ceramics in magnetic field **231**, 98
Kumar, D., R. Doyle, W.S. Seow and A.M. Campbell, Correlation of pinning properties with superconducting and microstructural parameters in NbTa thin films **231**, 182
Kume, A., see H. Yakabe **231**, 330
Kurmaev, E.Z., see P.R. Slater **231**, 109

Larbalestier, D.C., see J.A. Parrell **231**, 137
Lecomte, J., see J.C. Soret **231**, 157
Lee, C.S., see H.Y. Tang **231**, 325
Lee, H.G. and S. Sinha, Synthesis of melted $YBa_2Cu_3O_{7-x}$–0.325Ag superconductor contained in solid silver via synthesized precursor containing $BaCuO_{2.5}$ **231**, 50
Lee, K.W., see N.H. Hur **231**, 4
Lee, S., see M.-K. Bae **231**, 249
Lee, S.-I., see M.-K. Bae **231**, 249
Lee, W.C., see M.-K. Bae **231**, 249
Li, Y.M., see Z.X. Shi **231**, 284
Liang, R.-X., see R.B. Flippen **231**, 352
Lin, J.G., C.Y. Huang, Y.Y. Xue, C.W. Chu, L. Grigoryan and K. Yakushi, High-pressure study on high-T_c (ZnPc)Bi-2223 oxides **231**, 177
Lindemer, T.B., B.C. Chakoumakos, E.D. Specht, R.K. Williams and Y.J. Chen, Effects of composition and

processing on the superconductivity of $La_{1+z}Ba_{2-z}Cu_3O_y$ **231**, 80
Liu, C.-J., X.-J. Wu and H. Yamauchi, Bulk $2a\times2b\times c$ superstructure in TCNQ-treated (Bi, Pb)-2223 cuprates **231**, 367
Liu, L.M., see Q. Xiong **231**, 233
Long, X.R., see Z.X. Shi **231**, 284

Maeda, H., see M. Fukutomi **231**, 113
Maignan, A., see M. Huvé **231**, 15
Malozovsky, Y.M. and J.D. Fan, Possibility of the non-phonon mechanism of superconductivity in a layered Fermi liquid **231**, 63
Marezio, M., see M.A. Alario-Franco **231**, 103
Martinie, B., see J.C. Soret **231**, 157
Matsushita, T., see K.I. Kugel **231**, 98
Matsushita, Y., see M. Hasegawa **231**, 161
Meilikhov, E.Z., see K.I. Kugel **231**, 98
Minamikawa, T., T. Suzuki, A. Morimoto, T. Shimizu and K. Segawa, Critical current density improved by laser-irradiation on growing surface in $YBa_2Cu_3O_x$ superconducting films **231**, 118
Mizutani, U., see Y. Yamada **231**, 131
Mkrtchyan, M.R., see V.A. Gasparov **231**, 197
Morimoto, A., see T. Minamikawa **231**, 118
Morishita, T., see M. Badaye **231**, 335
Morris, D.E., see K.K. Singh **231**, 9, 377

Nafidi, A., see I. Zelenay **231**, 207
Neumann, M., see P.R. Slater **231**, 109
Nishikawa, T., see J. Takeda **231**, 293
Norton, M.L., see A.I. Golovashkin **231**, 319

Obolensky, M.A., see V.A. Gasparov **231**, 197
Oesterreicher, H., see D.-G. Ko **231**, 252
Oka, K., see T. Ito **231**, 305

Park, J.C., see N.H. Hur **231**, 4, 227
Park, J.C., see K.-H. Yoo **231**, 21
Park, Y.K., see N.H. Hur **231**, 4, 227
Park, Y.K., see K.-H. Yoo **231**, 21
Parrell, J.A., S.E. Dorris and D.C. Larbalestier, On the role of Vickers and Knoop microhardness as a guide to developing high critical current density Ag-clad BSCCO-2223 tapes **231**, 137
Peña, O., see F. Jordan **231**, 311
Peng, C.R., see Z.X. Shi **231**, 284
Peng, H.T., see Z.X. Shi **231**, 284
Perroux, M., see M.A. Alario-Franco **231**, 103
Peterson, D.E., see M.G. Smith **231**, 409
Phillips, D.S., see M.G. Smith **231**, 409

Qin, M.J., see Y. Rui **231**, 243

Rakhmanov, A.L., see K.I. Kugel **231**, 98
Raveau, B., see M. Huvé **231**, 15
Reich, S. and D. Veretnik, Variation of the superconducting properties of $Hg_xBa_2Ca_2Cu_3O_{8+\delta}$ as a function of the mercury content **231**, 1
Rekhi, S., G.L. Bhalla and G.C. Trigunayat, Stability estimation in YBCO by stepwise XRD and kinetic studies through TGA **231**, 277
Renk, K.F., see J. Keller **231**, 172
Rong, X.S., see Y. Rui **231**, 243
Rong, X.S., see Z.X. Shi **231**, 284
Ruan, K.Q., see H. Jin **231**, 167
Rui, Y., H.L. Ji, H.M. Shao, X.N. Xu, M.J. Qin, J.C. Shen, X. Jin, X.X. Yao, X.S. Rong, B. Ying, G.C. Che and Z.X. Zhao, Characterization of Hg–Ba–Ca–Cu–O 1223 superconductor **231**, 243
Rulmont, A., see R. Cloots **231**, 259

Salazar, K.V., see M.G. Smith **231**, 409
Sato, M., see J. Takeda **231**, 293
Scholen, A., see B. Kabius **231**, 123
Schultz, L., see B. Kabius **231**, 123
Segawa, K., see T. Minamikawa **231**, 118
Seo, J.W., see B. Kabius **231**, 123
Seow, W.S., see D. Kumar **231**, 182
Shao, H.M., see Y. Rui **231**, 243
Shen, J.C., see Y. Rui **231**, 243
Shi, Z.X., H.L. Ji, X. Jin, J.R. Jin, X.X. Yao, X.S. Rong, Y.M. Li, H.T. Peng, X.R. Long and C.R. Peng, Double-peak effect in the field dependence of pinning force and nonlogarithmic magnetic relaxation in Tl-1223 samples **231**, 284
Shimizu, T., see T. Minamikawa **231**, 118
Shiohara, Y., see H. Yakabe **231**, 330
Siegel, M., see B. Kabius **231**, 123
Simon, Ch., see J.C. Soret **231**, 157
Singh, K.K., V. Kirtikar, A.P.B. Sinha and D.E. Morris, $HgSr_2CuO_{4+\delta}$: a new 78 K superconductor by Mo substitution **231**, 9
Singh, K.K., D.E. Morris and A.P.B. Sinha, Stability of Ba, Sr and Ca cuprate phases as a function of oxygen pressure **231**, 377
Sinha, A.P.B., see K.K. Singh **231**, 9, 377
Sinha, S., see H.G. Lee **231**, 50
Slaski, M., see P.R. Slater **231**, 109
Slater, P.R., C. Greaves, M. Slaski, E.Z. Kurmaev, St. Uhlenbrock and M. Neumann, Se and Te substitutions in $YSr_2Cu_3O_{7-y}$ and $[Y/Ce]_2Sr_2Cu_3O_{9-y}$ **231**, 109
Smina, A., see J.C. Soret **231**, 157
Smith, M.G., J.O. Willis, D.E. Peterson, J.F. Bingert, D.S. Phillips, J.Y. Coulter, K.V. Salazar and W.L. Hults, Synthesis of Ag-clad (Bi,Pb)-2223 tapes by an alternative precursor route **231**, 409
Song, Y.Y., see K.-H. Yoo **231**, 21
Soret, J.C., L. Ammor, A. Smina, B. Martinie, J. Lecomte, L. Coudrier, Ch. Gasser, Ch. Simon and S. Flament, Vortex-lattice melting in Tl-2212 thin films **231**, 157
Souletie, B., see M.A. Alario-Franco **231**, 103
Specht, E.D., see T.B. Lindemer **231**, 80
Stassen, S., see R. Cloots **231**, 259

Sugano, T., see A. Fukuoka **231**, 372
Sulpice, A., see M.A. Alario-Franco **231**, 103
Sun, Y.Y., see Q. Xiong **231**, 233
Suryanarayanan, R., see I. Zelenay **231**, 207
Suzuki, T., see T. Minamikawa **231**, 118
Syono, Y., see T. Ishigaki **231**, 357

Takeda, J., T. Nishikawa and M. Sato, Transport studies of $La_{1.92}Sr_{0.08}Cu_{1-x}M_xO_4$ (M=Ni and Zn) and $Nd_{2-y}Ce_yCuO_4$ up to about 90 K **231**, 293
Takei, H., see M. Hasegawa **231**, 161
Tanaka, S., see H. Yakabe **231**, 330
Tang, H.Y., C.S. Lee and M.K. Wu, Crystallization of $La_{2-x}Na_xCuO_4$ superconductor by low-temperature electrochemical deposition **231**, 325
Tholence, J.-L., see M.A. Alario-Franco **231**, 103
Togano, K., see M. Fukutomi **231**, 113
Tokiwa-Yamamoto, A., see T. Ishigaki **231**, 357
Tokunaga, H., see Y. Idemoto **231**, 37
Trigunayat, G.C., see S. Rekhi **231**, 277
Tskhovrebov, A.M., see A.I. Golovashkin **231**, 319

Uhlenbrock, St., see P.R. Slater **231**, 109
Urban, K., see B. Kabius **231**, 123

Van der Beek, C.J., see J. Gilchrist **231**, 147
Van Tendeloo, G., see M. Huvé **231**, 15
Veretnik, D., see S. Reich **231**, 1

Wang, J.-L., D.P. Butler and Z. Celik-Butler, Modeling of high-T_c superconductor parametric amplifiers and mixers **231**, 271
Wang, N.L., see H. Jin **231**, 167
Wang, X.-G., see Y.-Y. Xie **231**, 300
Welch, D.O., see Z.-X. Cai **231**, 383
Wen, J.G., see H. Yakabe **231**, 330
Whitehead, J.P., see B.J. Yuan **231**, 395
Williams, R.K., see T.B. Lindemer **231**, 80
Willis, J.O., see M.G. Smith **231**, 409
Wong, K.W., see Z.Q. Yu **231**, 191
Wu, M.K., see H.Y. Tang **231**, 325
Wu, X.-J., see C.-J. Liu **231**, 367
Wu, X.-J., see A. Fukuoka **231**, 372

Xie, Y.-Y., F.-C. Yuan, B.-J. Cheng, J.-P. Chen, G.-W. Yang, B.-X. Cui and X.-G. Wang, Properties and microstructures of YBCO superconducting tapes prepared on static and continuously moving silver substrates by a new MOCVD reactor **231**, 300
Xin, Y., see Z.Q. Yu **231**, 191
Xiong, Q., Y.Y. Xue, F. Chen, Y. Cao, Y.Y. Sun, L.M. Liu, A.J. Jacobson and C.W. Chu, Oxygen annealing and the related thermodynamics in $HgBa_2CuO_{4+\delta}$ **231**, 233
Xu, X.N., see Y. Rui **231**, 243
Xue, Y.Y., see J.G. Lin **231**, 177
Xue, Y.Y., see Q. Xiong **231**, 233

Yakabe, H., J.G. Wen, A. Kume, Y. Shiohara, N. Koshizuka and S. Tanaka, Observation of superconductivity in Ba–Ca–Cu–O thin films prepared by RF thermal plasma deposition method **231**, 330
Yakushi, K., see I.I. Khairullin **231**, 26
Yakushi, K., see J.G. Lin **231**, 177
Yamada, N., see Y. Yamada **231**, 131
Yamada, Y., S. Horii, N. Yamada, Z. Guo, Y. Kodama, K. Kawamoto, U. Mizutani and I. Hirabayashi, High oxygen pressure synthesis of the $PrBa_2Cu_4O_8$ compound **231**, 131
Yamauchi, H., see C.-J. Liu **231**, 367
Yamauchi, H., see A. Fukuoka **231**, 372
Yang, G.-W., see Y.-Y. Xie **231**, 300
Yang, T.J., see J.L. Chen **231**, 91
Yao, X.X., see Y. Rui **231**, 243
Yao, X.X., see Z.X. Shi **231**, 284
Yeh, W.J., see Z.Q. Yu **231**, 191
Ying, B., see Y. Rui **231**, 243
Yokoya, Y., Effect of the energy-dependent density of states on a strong-coupling superconductor **231**, 341
Yoo, K.-H., N.H. Hur, Y.K. Park, J.C. Park, Y.Y. Song and S.C. Yu, Critical currents and irreversibility lines in $HgBa_2(Ca_{1-x}Sr_x)_2Cu_3O_{8+\delta}$ and $Hg_{0.5}Tl_{0.5}Ba_2(Ca_{1-x}Sr_x)_2Cu_3O_{8+\delta}$ **231**, 21
Yu, L.K., see Z.Q. Yu **231**, 191
Yu, S.C., see K.-H. Yoo **231**, 21
Yu, Z.Q., L.K. Yu, W.J. Yeh, Y. Xin and K.W. Wong, Flux noise, vortex glass transition, and irreversibility line in ceramic $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ high-T_c superconductors **231**, 191
Yuan, B.J. and J.P. Whitehead, Angular dependence of the upper critical field in superconducting films **231**, 395
Yuan, F.-C., see Y.-Y. Xie **231**, 300

Zelenay, I., A. Nafidi, C. Greaves and R. Suryanarayanan, Seebeck effect and neutron diffraction of $NdSrBaCu_3O_{6+z}$. Effect of argon annealing **231**, 207
Zhao, Z.X., see Y. Rui **231**, 243
Zherikhina, L.N., see A.I. Golovashkin **231**, 319

ELSEVIER

Physica C 231 (1994) 421–422

PHYSICA C

Analytic Subject Index to Volume 231

$2a\times2b\times c$ superstructure 367

AC susceptibility 147, 207, 352
Activation energy 277
Anisotropic superconductor 98, 161, 249, 311, 352
Applications of high-T_c superconductors 50, 271, 409
Argon annealing 207

BCS model 197

C_{60} compounds 26
Carrier concentration 37, 63, 207
Cd-doped Pb-1212 167
Chemical vapor deposition 300
CO_3 compounds 15, 103
Critical current 91
Critical current density 1, 21, 50, 80, 98, 118, 137, 284, 300, 409

Defect structures 389
De Gennes–Werthamer theory 395
Displacive transition 383
D-wave superconductor 197

Electrical resistivity 167, 177, 182, 319
Electrocrystallization 325
Electronic structure 37
Electron–phonon coupling 319, 341
Eliashberg equations 341
Energy gap 341
ESR 26

Fermi liquid 63
Fluctuation effects 191, 249
Flux creep 243, 284
Flux dynamics 147
Flux noise 191
Flux pinning 4, 21, 182, 352

Ginzburg–Landau theory 91, 249
Grain alignment 113, 311, 409
Grain boundaries 98, 123, 172, 271
Granular superconductivity 182, 191
–in $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+\delta}$ 311

Hall effect 293
High-oxygen pressure technique 131
High-pressure effect 103, 177
Hole concentration 311
HREM 330, 389

Josephson effect 98, 172
Josephson junction 123

Kosterlitz–Thouless model 157

Laser irradiation 118
Lattice parameters 109, 277
London penetration depth 197

Magnetic relaxation 147, 243, 284
Magnetic susceptibility 131, 227, 233
Magnetization 26, 243, 252
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 249
Magnetoresistance 161
Metal–insulator transition 63, 293
Microwave absorption 26
Mobility 37
Modulated structures 15
Molten salt 325
Monte Carlo simulations 383

Neutron diffraction 207, 357
Nonlinear diffusion 147
Non-ohmic behaviour 147, 157
Normal-state properties 131, 137, 177, 293, 319
Nucleation field 91

Optical spectroscopy 172
Order of reaction 277
Oxygen stoichiometry 1, 37, 80, 233, 330, 377

Phase diagram 80, 191
Phonon mechanism 341
Phonon spectrum 319
Pinning force 284

Short coherence length superconductors 91
Single-crystal growth 161, 305
Spin fluctuations 63
SQUID 26
Stability 377
Stability/degradation 277
Structural phase transition 383
Structure
–of Ag-clad BSCCO-2223 137
–of Bi-2223 259
–of $Gd_2CaBa_2Ti_2Cu_2O_{12}$ 372
–of $Hg_{0.5}Tl_{0.5}Ba_2Ca_{1-x}Sr_xCu_2O_{6+\delta}$ 4
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 243
–of $HgSr_2CuO_{4+\delta}$ 9
–of $La_{2-x}Ba_xCuO_4$ 305
–of $PbBaSr(Y_{0.8}Ca_{0.2})Cu_3O_{7+z}$ 357
–of $XBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 103
–of $YBa_2(Cu_{1-x}M_x)_3O_y$ 252
Substitution effects 21, 37, 167, 311
–in $HgSr_2CuO_{4+\delta}$ 9
–in $La_{1+z}Ba_{2-z}Cu_3O_y$ 80
–in $YBa_2(Cu_{1-x}M_x)_3O_y$ 252
–in $YSr_2Cu_3O_7$ 109
–in $[Y/Ce]_2Sr_2Cu_3O_9$ 109
Superconducting tape 300
Surface impedance 197, 271
Surface morphology 335
Synthesis
–of Ag-clad BSCCO-2223 137
–of Ba–Ca–Cu–O 377
–of (Bi,Pb)-2223 367
–of Bi-2223 259
–of $Ca_{1-x}Ln_xCuO_2$ (Ln = Sm, Nd, Y) 389
–of $Gd_2CaBa_2Ti_2Cu_2O_{12}$ 372
–of $Hg_{0.5}Pb_{0.5}Sr_{4-x}Ba_xCu_2(CO_3)O_{7-\delta}$ 15
–of $Hg_{0.5}Tl_{0.5}Ba_2Ca_{1-x}Sr_xCu_2O_{6+\delta}$ 4
–of $HgBa_2Ca_{0.86}Sr_{0.14}Cu_2O_{6+\delta}$ 227
–of $HgBa_2CuO_{4+\delta}$ 233

–of $HgSr_2CuO_{4+\delta}$ 9
–of $Hg_xBa_2Ca_2Cu_3O_{8+\delta}$ 1
–of $La_{1+z}Ba_{2-z}Cu_3O_y$ 80
–of $Pr_2Ba_4Cu_7O_{15-\delta}$ 131
–of $PrBa_2Cu_4O_8$ 131
–of $YBa_2(Cu_{1-x}M_x)_3O_y$ 252
–of $YBa_2Cu_3O_{7-x}$–0.325Ag 50
–of $YBa_2Cu_3O_y/Y_2O_3$ 113

TEM 123, 367
Thermal conductivity 259
Thermoelectric effects 207, 259
Thermoelectric power 293
Thin films 118, 123, 157, 172, 182, 271, 389, 395
–of Ba–Ca–Cu–O 330
–of $Y_1Ba_2Cu_4O_8$ 335
–of $YBa_2Cu_3O_y/Y_2O_3$ 113
Traveling-solvent floating-zone method 305
Twinning planes 352
Twin structure 123
Type-II superconductivity 395

Upper critical field H_{c2} 161, 249, 395

Vortex lattice 157

Weak links 98, 271

X-ray diffraction 26, 50, 109, 227, 233, 243, 259, 300, 335, 357, 372, 377
XRD 367

ELSEVIER

Physica C 231 (1994) 423

PHYSICA C

Materials Index to Volume 231

Ag-clad
–structure 137
–synthesis 137

Ba–Ca–Cu–O
–synthesis 377
–thin films 330
(Bi,Pb)-2223
–synthesis 367
Bi-2223
–structure 259
–synthesis 259
$Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+\delta}$
–granular superconductivity 311

$Ca_{1-x}Ln_xCuO_2$
–synthesis 389

$Gd_2CaBa_2Ti_2Cu_2O_{12}$
–structure 372
–synthesis 372

$Hg_{0.5}Pb_{0.5}Sr_{4-x}Ba_xCu_2(CO_3)O_{7-\delta}$
–synthesis 15
$Hg_{0.5}Tl_{0.5}Ba_2Ca_{1-x}Sr_xCu_2O_{6+\delta}$
–structure 4
–synthesis 4
$HgBa_2Ca_{0.86}Sr_{0.14}Cu_2O_{6+\delta}$
–synthesis 227
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–magnetization 249
–structure 243
$HgBa_2CuO_{4+\delta}$
–synthesis 233
$HgSr_2CuO_{4+\delta}$
–structure 9
–substitution effects 9
–synthesis 9
$Hg_xBa_2Ca_2Cu_3O_{8+\delta}$
–synthesis 1

$La_{1+z}Ba_{2-z}Cu_3O_y$
–substitution effects 80
–synthesis 80
$La_{2-x}Ba_xCuO_4$
–structure 305

$PbBaSr(Y_{0.8}Ca_{0.2})Cu_3O_{7+z}$
–structure 357
$Pr_2Ba_4Cu_7O_{15-\delta}$
–synthesis 131
$PrBa_2Cu_4O_8$
–synthesis 131

$XBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–structure 103

$Y_1Ba_2Cu_4O_8$
–thin films 335
$YBa_2(Cu_{1-x}M_x)_3O_y$
–structure 252
–substitution effects 252
–synthesis 252
$YBa_2Cu_3O_{7-x}$–0.325Ag
–synthesis 50
$YBa_2Cu_3O_y/Y_2O_3$
–synthesis 113
–thin films 113
$YSr_2Cu_3O_7$
–substitution effects 109

$[Y/Ce]_2Sr_2Cu_3O_9$
–substitution effects 109